


La **référence** dans le domaine des informations techniques **pour votre atelier.**



WorkshopData™ Tech

HaynesPro Tech est un **système intuitif, facile à utiliser**, perfectionné sur plusieurs années de développement. Il recouvre toutes les informations essentielles concernant la réparation mécanique.

L'importance des données n'est pas seulement leur **qualité, précision, utilité et pertinence** mais également la manière dont elles sont **présentées** pour être de tout bénéfice à ses utilisateurs.



Données d'identification

DONNÉES D'IDENTIFICATION

Trouver votre véhicule est chose aisée.

Les emplacements du code d'identification vous procurent la méthode recommandée pour définir votre véhicule. HaynesPro Tech comporte diverses options de recherche telles que code moteur, homologation de type européenne et le VIN. En fonction du pays, une recherche de la plaque d'immatriculation est également disponible.

FONCTIONS

Car SET Truck SET

Emplacements du numéro VIN et de la plaque d'identification


✓ ✓

Décodeur VIN

✓ ✓

Codes d'équipement

✓



Engine	Transmission	Equipment code	Diagnostic
2.0 TDi	DESA	1968	140kW
2.0 TDi	DETA	1968	140kW
2.0 TDi	CZHA	1968	110kW


Entretien

ENTRETIEN

Clair, détaillé et surtout, utile.

Un simple aperçu des intervalles d'entretien OEM permet de sélectionner rapidement le service souhaité.

Les intervalles des points d'entretien permettent d'accéder rapidement aux informations d'entretien (temps et distance) pour des composants spécifiques.



Component	Interval
Air filter	every 90,000 km
Brake fluid	first change at 36 months; then every 24 months
Engine oil	15,000 km/12 months
Filter, interior air	

Suite à la page suivante

CarsTrucksOrganiserSettings

HaynesProWorkshopData™

A4 /A4 Allroad (Bk) 2.0 TDi (CAHA) 2008 - 2012EstimateGBP 6.00

Back to overviewMaintenance SchedulePrint

Every 300,000 km/240 months (OE 01 03 00 12)...

STANDARD TIME1.60EXTRA TIME2.00TOTAL TIME (H)3.60

Parts required4Hide

Show mandatory parts onlyShow all spare parts

Unit Price (GBP)Quantity

Engine oil8.906X

Oil filter6.201.00X

Timing belt1.00X

Timing belt set128.401.00X

Additional work8Hide

OE: 20 34 19 50Renew the fuel filter every 60,000 km+ 0.40+

OE: 22 24 19 60Renew the air filter every 90,000 km+ 0.20+

OE: 15 24 19 60Renew the timing belt(s) every 180,000 kmTiming belt renewal intervals may be subject to updates and may differ regionally+ 2.00X

OE: 26 74 03 50Diesel particulate filter: check the saturation with a diagnostic tool first check at 150,000 km; then every 30,000 km+ 0.10+

OE: 26 88 25 50Selective catalytic reduction (SCR): check the fluid level; top up if necessary every 15,000 km+ 0.10+

OE: 37 02 55 50CVT: renew the fluid every 60,000 km+ 0.50+

OE: 01 40 00 50Braking system: renew the brake fluid first change at 36 months; then every 24 months+ 0.50+

OE: 05 18 19 50Renew the dust and pollen filter every 30,000 km/24 months

* Parts may be requiredRepair ManualsTechnical Drawings

Engine

Trucks

Check the brake fluid level; top up if necessary *Go to Lubricants page

Check the brake pad thickness *Go to Adjustment Data page

Check the brake lines, hoses and connections for leaks and damage *

Suspension, wheels and tyres

Check the tread depth and wear pattern on all the tyres, including the spare

FOLLOW UPRenew four tyres+ 1.20

Check the tyre pressures; adjust if necessaryGo to Adjustment Data page

Reset the tyre pressure monitoring system *Tyre pressure monitoring system

Check the tyre sealant can expiry date

Ball joints: check the condition (check for play)

Electrical System

Check the battery magic eye *

Check the battery charge, using an appropriate battery tester *

FOLLOW UPCheck the battery fluid level; top up if required+ 0.10

FOLLOW UPCharge the battery+ 0.10

FOLLOW UPRenew the battery+ 0.90

Des programmes d'entretien complet que l'on peut imprimer pour plus de facilité sont fournis comme base pour d'autres modèles, ils sont présentés par intervalles et ventilés par sujet (moteur, freins, etc.) ou emplacement (compartiment moteur, sous le véhicule, etc.).

Des interventions supplémentaires sont également affichées, suivant les recommandations OEM. Toutes les tâches ont un code et une durée OEM correspondants. La durée totale est également affichée en haut et en bas de page.

La disponibilité de tâches complémentaires logiques est une particularité unique qui facilite la rédaction de la fiche de travail.

FONCTIONS	Car SET	Truck SET
Programmes d'entretien (basés sur OEM)	✓	✓
Fiches de travail imprimables	✓	✓
Liens intelligents vers des données de réglage	✓	✓
Liens vers les pièces	✓	✓
Tâches complémentaires	✓	
Tâches supplémentaires	✓	✓
Temps d'entretien	✓	✓
Manuels de réinitialisation de l'indicateur d'entretien	✓	✓
Intervalles de remplacement de la courroie de distribution	✓	
Procédures du système de surveillance de pression des pneus	✓	✓



LIENS 'INTELLIGENTS'

Si nécessaire, il existe aussi des liens vers des dessins techniques annotés de composants ou de valeurs de réglage, ainsi que vers des sous-sections concernant des aspects additionnels de la tâche.

Il existe des instructions sur la manière de déconnecter et re-connecter des batteries, et sur la remise à zéro d'indicateurs de maintenance et des systèmes de surveillance de pression des pneus.

Liens 'intelligents' disponibles vers des sujets principaux :



DONNÉES DE RÉGLAGE



LUBRIFIANTS ET LIQUIDES



MANUELS DE RÉPARATION



TEMPS BARÉMÉS



DESSINS TECHNIQUES

Liens 'intelligents' disponibles vers d'autres fonctions et sujets :

- Rapport de carrosserie et de peinture
- Rapport d'inspection de véhicule
- Rapport d'inspection des pneus

Check the steering assembly for damage, wear and leaks *			☒
Check the power steering fluid level; top up if necessary			☒
Brakes			
Check the brake fluid level; top up if necessary *			☒
Go to Lubricants page			
Check the brake pad thickness *			☒
Go to Adjustment Data page			
Check the brake lines, hoses and connections for leaks and damage *			☒
Suspension, wheels and tyres			
Check the tread depth and wear pattern on all the tyres, including the spare			☒
FOLLOW UP Renew four tyres	☐ + 1.20		☒
Check the tyre pressures; adjust if necessary			☒
Go to Adjustment Data page			
Reset the tyre pressure monitoring system *			☒
Tyre pressure monitoring system			
Check the tyre sealant can expiry date			☒
Ball joints: check the condition (check for play)			☒
Electrical System			
Check the battery magic eye *			☒
Check the battery charge, using an appropriate battery tester *			☒
FOLLOW UP Check the battery fluid level; top up if required	☐ + 0.10		☒
FOLLOW UP Charge the battery	☐ + 0.10		☒
FOLLOW UP Renew the battery	☐ + 0.90		☒
Check the function of the exterior lights *			☒
Check the headlight alignment; adjust if necessary			☒
Check the lighting system and horn functions *			☒
Check the luggage compartment light(s) *			☒
Check the function of the interior warning lights			☒
Check the operation of the multimedia system *			☒
Reset the service indicator			☒
Service indicator reset			
Exterior			
Check the windscreen wipers and washing system *			☒
Windscreen wipers: service position			
Check the windscreen wiper park position *			☒
Check the headlight washing system			☒
Check/lubricate the bonnet hinges and safety catch *			☒
Check the entire underside of the vehicle for leaks, corrosion and damage *			☒
Check all the exterior paintwork for corrosion and damage *			☒
Check the body for corrosion and damage			☒
Go to Body and Paint Report page			
General			
Test drive			☒
TOTAL TIME (h)	EXTRA TIME	STANDARD TIME	
3.60	2.00	1.60	
			Add to Cost Estimate

HaynesPro

All trademark names mentioned herein are for reference purpose only and are not intended to suggest any connection between HaynesPro and such companies. All trademarks are the property of their respective owners.
Version: 7.2.1-RC23



A member of the Haynes Publishing Group

Données de réparation

HaynesPro WorkshopData™

A4 / A4 Allroad (8K) 2.0 TDi (CAHA) 2008 - 2012

Estimate 657 6.00

Adjustment Data

Engine (general)

Engine (specifications)

Emissions

Cooling system

Electrical

Basic data

(J1L)

(J2D)

(J0L)

(J1N)

(J0R)

(J0B)

(J1U)

(J0P)

(J0Z)

Brakes

Basic data

Brembo, Front disc brakes, (1LM)

Brembo, Front disc brakes, (1LW)

Front disc brakes, (FN3)

Front disc brakes, (FBC)

Rear disc brakes, (Cil 43)

Steering and wheel alignment

Emissions

Basic data

Basic data

Steering

Basic data

(Manual transmission), (0B2)

(Manual transmission), (0B1)

Rear differential, (0BC), (4WD)

(- 03/2012)

(04/2012 - 10/2013)

Denso, (6SEU14), (- 03/2012)

Denso, (7SEU17), (- 03/2012)

Denso, (6SAS14), (08/2011 -)

Denso, (6SES14), (03/2012 -)

Torque settings

Engine

(Manual transmission), (0B2)

(Manual transmission), (0B1)

Rear differential, (0BC), (4WD)

Basic data

Steering

Basic data

(Manual transmission), (0B2)

(Manual transmission), (0B1)

Rear differential, (0BC), (4WD)

(- 03/2012)

(04/2012 - 10/2013)

Denso, (6SEU14), (- 03/2012)

Denso, (7SEU17), (- 03/2012)

Denso, (6SAS14), (08/2011 -)

Denso, (6SES14), (03/2012 -)

Engine (general)

Emissions

Engine code CAHA

Capacity 1968 (cc)

Distribution type

Oil pressure > 2.0 / 2.000 (bar)

Maximum cylinder head distortion 0.1 (mm)

Diesel particulate filter: maximum ash deposit mass 0.175 (bar/rpm)

Drive belt layout

Ride height, front 384 (mm)



Refrigerant (Refer to the sticker under the bonnet)

Air-conditioning compressor oil 150 ± 10 (ml)

Air-conditioning compressor oil 150 ± 10 (ml)

Renew the bolts

Stage 1 40 (Nm)

DONNÉES DE RÉGLAGE

Le terme '**détaillé**' est faible pour décrire la couverture.

Le terme 'détaillé' est faible pour décrire l'étendue des informations contenues dans la section de Tech. Les caractéristiques techniques fournies vont des réglages du couple à l'ordre d'allumage des cylindres, du ralenti aux émissions de NOX, de la pression bouchon du système de refroidissement à l'épaisseur du disque de freinage arrière.

FONCTIONS	Car SET	Truck SET
Courroie d'entraînement auxiliaire	✓	
Alignement des roues	✓	✓
Données des gaz d'échappement	✓	✓
Dimensions et pressions des pneus	✓	
Réglages de couple	✓	✓
Connecteurs d'entretien du climatiseur	✓	
Capacités	✓	✓
Limite d'usure		✓



LUBRIFIANTS ET LIQUIDES

Toutes les caractéristiques techniques d'huile et de liquide en un seul aperçu.

Toutes les caractéristiques techniques imaginables sont ici fournies, avec lien pratique vers des données connexes pour plus de convivialité, et comportant des illustrations techniques montrant l'emplacement des bouchons de remplissage et de vidange.

FONCTIONS	Car SET	Truck SET
Qualités et viscosités	✓	✓
Capacités et réglages du couple	✓	✓
Emplacement des bouchons de remplissage et de vidange	✓	✓

Cars | Trucks | Organiser | Settings | **HaynesPro** | WorkshopData™

🔍 A4 /A4 Allroad (BK) 2.0 TD (CAHA) 2008 - 2012 Estimate €10 0.00 📄

< Back to overview **Lubricants and Fluids** Print

Engine

Cooling system

Basic data

(Manual transmission), (0B2)

(Manual transmission), (0B1)

Rear differential, (0BC), (4WD)

Steering

(- 03/2012)

(04/2012 - 10/2013)

Denso, (6SEU14), (- 03/2012)

Denso, (7SEU17), (- 03/2012)

Denso, (6SAS14), (08/2011 -)

Denso, (6SES14), (03/2012 -)

Engine

Cooling system

Basic data

(Manual transmission), (0B2)

(Manual transmission), (0B1)

Rear differential, (0BC), (4WD)

Steering

(- 03/2012)

(04/2012 - 10/2013)

Denso, (6SEU14), (- 03/2012)

Denso, (7SEU17), (- 03/2012)

Denso, (6SEU14), (- 03/2012)

Denso, (7SEU17), (- 03/2012)

Denso, (6SEU14), (- 03/2012)

Denso, (7SEU17), (- 03/2012)

Denso, (6SAS14), (08/2011 -)

Denso, (6SES14), (03/2012 -)

Engine

Engine oil	SAE 5W-30	VW 507 00	All temperatures
------------	-----------	-----------	------------------

- Engine sump, including filter 5.0 (l)
- Engine oil drain plug 30 (Nm)

Cooling system

Coolant (Water with 40% anti-freeze)	TL-VW 774G (G12++)	Above -25 °C
Coolant (Water with 50% anti-freeze)	TL-VW 774G (G12++)	Above -35 °C
Coolant (Water with 60% anti-freeze)	TL-VW 774G (G12++)	Above -40 °C

- Cooling system 8.0 (l)

Basic data


Brake fluid	VW 501 14
-------------	-----------

- Brake system 1.0 (l)


(Manual transmission), (0B2)

Gear oil	VW G 055 532 A2
----------	-----------------

- Manual transmission
- Gearbox refill 4.8 (l)
- Plug location (Filler/level plug)



(Manual transmission), (0B1)




Steering

Power steering fluid	VW G 004 000
----------------------	--------------

(- 03/2012)

Refrigerant	R134a
-------------	-------



Denso, (6SES14), (03/2012 -)

Compressor oil	VW G 052 300 A2
----------------	-----------------

- Air-conditioning compressor oil 110 ± 10 (ml)

HaynesPro WorkshopData™

A4 /A4 Allroad (8K) 2.0 TD (CAHA) 2008 - 2012

Estimate 0.00

Timing belt: removal/installation

Parts required 8

Warnings and recommendations

Unless otherwise advised by the manufacturer, the following procedures are recommended:

- Always fit a new timing belt after removal
- Coolant pump renewal is recommended after timing belt removal
- Check the tensioner and idler pulleys; renew if necessary

Removal

Disconnect the battery

Battery: procedures for disconnection/reconnection

Remove the engine lower cover

Vehicles with additional heater

Steering

Power steering fluid VW G 004 000

(- 03/2012)

Refrigerant R134a

Denso, (6SES14), (03/2012 -)

Compressor oil VW G 052 300 A2

Air-conditioning compressor oil 110 ± 10 (ml)



MANUELS DE RÉPARATION

Instructions de réparation et d'entretien détaillées, étape par étape.

Tech comporte des instructions de réparation et d'entretien détaillées, étape par étape, pour les tâches qui, tout en étant relativement routinières, requièrent cependant des procédures spécifiques pour la voiture en question. De nouveau, Tech fournit des illustrations techniques et, si nécessaire, des numéros de référence identifiant les outils spéciaux. De cette manière, Tech contribue à accroître la productivité et à améliorer le flux de l'atelier.

FONCTIONS	Car SET	Truck SET
Courroie de distribution ; dépose / installation	✓	
Chaîne de distribution ; dépose / installation	✓	
Courroie d'entraînement auxiliaire ; dépose / installation	✓	
Embrayage ; dépose/ installation	✓	✓
Transmission manuelle ; dépose / installation	✓	
Système de refroidissement ; vidanger/remplir de nouveau	✓	
Filtres à particules Diesel	✓	✓
Procédure batterie	✓	
Contrôle du niveau de fluide de la transmission (semi)-automatique et vidanger/remplir de nouveau	✓	✓
Système de surveillance de pression des pneus (TPMS)		✓
Jeux de soupapes		✓
Injecteur : dépose/ installation		✓

HaynesPro

All trademark names mentioned herein are for reference purpose only and are not intended to suggest any connection between HaynesPro and such companies. All trademarks are the property of their respective owners.

Version: 7.4.5-RC3

A member of the Haynes Publishing Group





TEMPS BARÉMÉS

Un intervalle de temps plus réaliste.

HaynesPro étend les temps barémés officiels (OEM) pour prendre en compte des tâches associées, rendant ses données plus utiles et pertinentes dans le monde réel. Le module contient de nombreuses tâches incluses pour un calcul de chevauchement. En énumérant des tâches complémentaires, nous garantissons qu'aucun temps de main d'œuvre ne soit négligé. Vous aide à optimiser le bénéfice de l'atelier.

FONCTIONS	Car SET	Truck SET
Technologie de chevauchement	✓	✓
Temps spécifiques et génériques	✓	✓
Travail de suivi	✓	✓
Liens vers les pièces	✓	✓

CarsTrucksOrganiserSettings

HaynesProWorkshopData™

A4 /A4 Allroad (8K) 2.0 TD (CAHA) 2008 - 2012EstimateGBP 661.00

Back to overview

Repair Times

Print

Total repair times

JOBS2

TOTAL TIME (H)7.10

PARTS REQUIRED3

Hide details

Add to work order

Jobs

Renew the timing belt kit and the coolant pump4.10

FOLLOW UPRenew the crankshaft front radial seal3.00

Parts required

Unit Price (GBP)Quantity

Water pump & timing belt set128.501.00

Tensioner, timing chain0.001.00

Shaft seal, crankshaft16.501.00

Fuel system

Exhaust system

Gearbox

Automatic transmission

Drivetrain

Electrical components

Steering

Front axle

Front suspension

Rear axle

Rear suspension

Wheels and tyres

Petals

Brakes (Mechanical)

Brakes (Electric)

Cylinder head

Plywheel/flexplate

Plywheel

Crankshaft

Valve cover

Valve

Timing

1B01515000 Remove/refit the upper timing cover0.20

FOLLOW UP1B01541910 Repair the timing belt cover+0.10

1B01516000 Renew the upper timing cover0.20

FOLLOW UP1B01541910 Repair the timing belt cover+0.10

1B01541800 Check the timing belt cover; clean if necessary0.10

1B01541910 Repair the timing belt cover0.10

1B02001000 Check the timing belt condition and tension0.40

FOLLOW UP1B02003100 Renew the timing belt

FOLLOW UP1D04003000 Renew the coolant pump

1B02002400 Renew the timing belt tensioner pulley

INCLUDEDClean sealing surface(s)

INCLUDEDRemove/refit water pump

INCLUDEDDrain/fill/check level of coolant

INCLUDEDRemove/refit right timing belt tensioner roller

INCLUDEDRemove/refit left timing belt tensioner roller

INCLUDEDRemove/refit engine timing belt tensioner pulley

INCLUDEDRemove/refit engine timing toothed belt

INCLUDEDRemove/refit lower timing belt cover

INCLUDEDRemove/refit upper toothed belt cover

INCLUDEDRemove/refit crankshaft vibration damper

INCLUDEDRemove/refit drive belt

INCLUDEDLoosen/tighten front lock carrier

INCLUDEDRemove/refit lower engine cover

INCLUDEDRemove/refit upper engine cover

FOLLOW UP1A20032000 Renew the crankshaft front radial seal+3.00

1B02002500 Renew the timing belt kit3.20

FOLLOW UP1A20032000 Renew the crankshaft front radial seal+3.00

1B02003000 Remove/refit the timing belt2.90

FOLLOW UP1D04003000 Renew the coolant pump+3.80

FOLLOW UP1A20032000 Renew the crankshaft front radial seal+3.00

1B02003100 Renew the timing belt+2.90

FOLLOW UP1D04003000 Renew the coolant pump+3.80

FOLLOW UP1A20032000 Renew the crankshaft front radial seal+3.00

1B02005900 Remove/refit the timing belt tensioner pulley3.00

FOLLOW UP1B02003100 Renew the timing belt+2.90

1B02006000 Renew the timing belt tensioner pulley3.00

Fonction générale

HaynesPro WorkshopData™

A4 /A4 Allroad (8K) 2.0 TDi (CAHA) 2008 - 2012 Estimate GBP 691.00

Cost estimate

Jobs

	Rate (GBP)	Time (h)	Total (GBP)
Time/distance dependent service, (~ 2009) Every 90,000 km/72 months	65.00	1.30	84.50
Renew the timing belt kit and the coolant pump	65.00	4.10	266.50
FOLLOW UP Renew the crankshaft front radial seal	65.00	3.00	195.00
Time margin 0.0 %		Total Time 8.40 (h)	
Subtotal			GBP 546.00

* Parts may be required Repair Manuals Technical Drawings Lubricants and Fluids Adjustment Data

Parts

	Unit Price (GBP)	Quantity	Price (GBP)
Engine oil	0.00	1.00	0.00
Oil filter	0.00	1.00	0.00
Shaft seal, crankshaft	16.50	1.00	16.50
Water pump & timing belt set	128.5	1.00	128.50
Subtotal			GBP 145.00

Grand Total GBP 691.00
VAT Rate 21.00 %
VAT GBP 145.11
Grand Total with VAT GBP 836.11

Reset Save

HaynesPro All trademark names mentioned herein are for reference purpose only and are not intended to suggest any connection between HaynesPro and such companies. All trademarks are the property of their respective owners. Version: 7.4.0-RC3

DEVIS ESTIMATIF

Le devis estimatif est le point de départ pour des estimations rapides sur base de liens intelligents entre les données, les temps barémés et les pièces détachées. Le résultat peut facilement être exporté pour être utilisé dans le flux de la commande de pièces.

Caractéristiques et fonctionnalités les plus importantes :

- Aperçu combiné de l'entretien sélectionné et des réparations
- Option d'ajouter manuellement des tâches et des pièces
- Fonctionnalité aisée d'exportation

DESSINS TECHNIQUES

Plus de **100 000**
dessins techniques de
haute qualité.

Une image vaut un milliers de mots. HaynesPro possède dans sa base de données plus de 100 000 dessins techniques de haute qualité. Loin d'être des images génériques, il s'agit d'illustrations sur mesure avec des pièces mises en évidence pour faciliter l'identification et avec l'option d'un renvoi direct vers le caddie dans un catalogue de pièces. Des réglages de couple sont indiqués dans le dessin pour assurer que le couple correct soit appliqué pour le boulon/écrou spécifié. Il existe également des notifications concernant des boulons/écrous qui doivent être remplacés et toute autre exigence pour l'utilisation d'un composé de blocage.

FONCTIONS	Car SET	Truck SET
Liens vers les pièces	✓	✓
Réglages de couple	✓	✓

Brake, components, front, exploded view

Rear disc brakes, (CII 43)

Brake, components, rear, exploded view

(Manual transmission), (OB1, OB2)

Gear shift lever assembly

Gearbox mount

Differential

Propeller shaft

Rear differential, (OBC), (4WD)

Differential

(2WD)

Subframe, front

Suspension, front

Subframe, rear

Suspension, rear

Shock absorber, rear

(4WD)

Subframe, front

Suspension, front

Subframe, rear

Suspension, rear

Shock absorber, rear

(Estate, Saloon)

Steering column

Power steering rack

Electronic power steering rack

(Convertible)

Steering column

Power steering rack

Electronic power steering rack

Air conditioning

Air conditioning, components

(- 2012)

Seat belts, front

Seat belts, rear

Bumper, removal, front

Bumper, removal, rear

(Allroad), (- 2012)

Seat belts, front

Seat belts, rear

Bumper, removal, front

Bumper, removal, rear

Steering column

Power steering rack

Electronic power steering rack

(Convertible)

Steering column

14 Nm

Parts required 1

Show

Print

25 Nm, 49 Nm, 14 Nm, 5 Nm

Parts required 4

Show

Print

8 Nm, 20 Nm, 18 Nm, 20 Nm, 8 Nm

Print

95 Nm, 55 Nm, 55 Nm, 20 Nm

(2WD)

20 Nm, 20 Nm, 20 Nm, 9 Nm, 9 Nm, 115 Nm + 90°

Print

Bumper, removal, rear

Steering column

Power steering rack

Electronic power steering rack

(Convertible)

Steering column

Power steering rack

Electronic power steering rack

Air conditioning

Air conditioning, components

(- 2012)

Seat belts, front

Seat belts, rear

Bumper, removal, front

Bumper, removal, rear

(Allroad), (- 2012)

Seat belts, front

Seat belts, rear

Bumper, removal, front

Bumper, removal, rear

Steering column

Power steering rack

Electronic power steering rack

(Convertible)

Steering column

Power steering rack

Electronic power steering rack

Air conditioning

Air conditioning, components

(- 2012)

Seat belts, front

Seat belts, rear

Bumper, removal, front

Bumper, removal, rear

Steering column

Power steering rack

Electronic power steering rack

(Convertible)

Steering column

Power steering rack

Electronic power steering rack

Air conditioning

Air conditioning, components

(- 2012)

Seat belts, front

Seat belts, rear

Bumper, removal, front

Bumper, removal, rear

(Allroad), (- 2012)

Seat belts, front

Seat belts, rear


Bumper, removal, front

Bumper, removal, rear

Steering column

Power steering rack

Electronic power steering rack




■ Renew bolts/nuts

Parts required 6

Show

Front disc brakes, (FN3)

Print




■ Renew bolts/nuts

Parts required 6

Show

Print



Rappels



RAPPELS

Assurer que le véhicule est conforme aux normes de sécurité en informant les clients de rappels potentiels concernant la sécurité de leur véhicule.

Contribuant à assurer la conformité du véhicule aux normes de sécurité, HaynesPro Tech comprend également des données de rappel officiel.

FONCTIONS

Car
SET

Truck
SET

Actions de rappel concernant la sécurité publiées par OEM



Lien vers les codes de défaut et les cas associés



Change car

SmartPACK™

Filter results

Vehicle area Fault code

Noise Defect

Operating condition

Sort results

Most recent data first

Overview

Maintenance

Repair Data

Electronics

SmartPACK™ 77

All 77 SmartCASE™ 17 Recall data 4 Technical Service Bulletins 56

Recall data

Airbag deployment failure (05/12/2014, WAUZZZ8K*DA000698 - WUAZZZ8K*DA902932, 01/11/2011 - 15/10/2014, OE: R/2014/146 (69K5))

Airbag deployment failure (05/12/2014, WAUZZZ8K*FA000781 - WUAZZZ8K*FA900814, 01/11/2011 - 15/10/2014, OE: R/2014/146 (69K5))

Airbag deployment failure (05/12/2014, WAUZZZ8K*EA000867 - WUAZZZ8K*EA902051, 01/11/2011 - 15/10/2014, OE: R/2014/146 (69K5))

Reduced braking efficiency (01/10/2014, WAUZZZ8K*DA045573 - WUAZZZ8K*DA178051, 01/01/2012 - 27/08/2014, OE: R/2014/098 (47L8))

< Back to overview

Reduced braking efficiency

Print

01/10/2014 R/2014/098 (47L8) VIN # - WAUZZZ8KXDA178051 WUAZZZ8K*DA045573 Date 2012-01-01 - 2014-08-27

Defect

Engine oil leakage into the brake servo via the vacuum feed line; Damaged brake servo diaphragm; Increased brake pedal effort

Solution

Renew the vacuum line

Disclaimer

The recall bulletins are provided for information purposes only. The customer should be directed to the appropriate franchised dealer for rectification of the issues identified in the Safety Recall notice. This ensures that the repair is fully carried out in accordance with the provisions of the Safety Recall notice and any updated provisions thereof. It will also ensure that both the manufacturer's database (the list of affected vehicles) and the country-specific licensing agency are informed that the recall has been actioned.

Clearly better data.

HaynesPro B.V.
Flankement 6
3831 SM Leusden
Les Pays-Bas

Tel : +31 (35) 603 6270
E-mail : sales@haynespro.com
Site web : www.haynespro.com

HaynesPro®

HaynesPro is a member of the Haynes Publishing Group

